



**ADDENDUM NO. 1**  
**CITY OF PEORIA**  
**LOUCKS AVENUE & McCLURE AVENUE**  
**INTERSECTION RECONSTRUCTION AND REALIGNMENT**  
**April 10, 2012**

Re: Addendum for Bid Package, Loucks Avenue & McClure Avenue Intersection Reconstruction and Realignment, Peoria, IL

The following shall be considered part of the Contract Documents for the subject project and shall apply to all construction there under.

REVISED SCHEDULE OF PRICES (Issued with this Addendum):

- 1) **Changed Quantity of Pay Item #6024XXXX, INLET, TYPE G-1 from 2 each to 1 each.**

Sincerely,

A handwritten signature in black ink, appearing to read "Scott Reeise".

Scott Reeise, P.E.

**ADDENDUM No. 1**  
**REVISED SCHEDULE OF PRICES**

(For complete information covering these items, see plans and specifications)

PAY ITEM #	ITEM	UNIT	QUANTITY	UNIT PRICE	TOTAL
20800XXX	TRENCH BACKFILL	FOOT	223		
21001000	GEOTECHNICAL FABRIC FOR GROUND STABILIZATION	SQ YD	755		
21101615	TOPSOIL FURNISH AND PLACE, 4"	SQ YD	390		
21101625	TOPSOIL FURNISH AND PLACE, 6"	SQ YD	190		
25000400	NITROGEN FERTILIZER NUTRIENT	POUND	11		
25000500	PHOSPHORUS FERTILIZER NUTRIENT	POUND	11		
25000600	POTASSIUM FERTILIZER NUTRIENT	POUND	11		
25200100	SODDING	SQ YD	580		
28000250	TEMPORARY EROSION CONTROL SEEDING	POUND	11		
28000400	PERIMETER EROSION BARRIER	FOOT	215		
28000500	INLET AND PIPE PROTECTION	EACH	8		
28000510	INLET FILTERS	EACH	3		
31101000	SUBBASE GRANULAR MATERIAL, TYPE B	TON	75		
35101400	AGGREGATE BASE COURSE, TYPE B	TON	490		
40201000	AGGREGATE FOR TEMPORARY ACCESS	TON	80		
40600100	BITUMINOUS MATERIALS (PRIME COAT)	GALLON	250		
40603080	HOT-MIX ASPHALT BINDER COURSE, IL-19.0, N50	TON	180		
40603335	HOT-MIX ASPHALT SURFACE COURSE, MIX "D", N50	TON	75		
42001300	PROTECTIVE COAT	SQ YD	400		
42300200	PORTLAND CEMENT CONCRETE DRIVEWAY PAVEMENT, 6 INCH	SQ YD	112		
42400100	PORTLAND CEMENT CONCRETE SIDEWALK 4 INCH	SQ FT	1650		
42400300	PORTLAND CEMENT CONCRETE SIDEWALK 6 INCH	SQ FT	280		
42400800	DETECTABLE WARNINGS	SQ FT	34		
44000100	PAVEMENT REMOVAL	SQ YD	760		
44000200	DRIVEWAY PAVEMENT REMOVAL	SQ YD	285		
44000500	COMBINATION CURB AND GUTTER REMOVAL	FOOT	270		
44000600	SIDEWALK REMOVAL	SQ FT	1,360		
550A2330	STORM SEWERS, RUBBER GASKET, CLASS A, TYPE 1 15"	FOOT	94		
55100500	STORM SEWER REMOVAL 12"	FOOT	40		
60235700	INLETS, TYPE A, TYPE 3 FRAME AND GRATE	EACH	1		
60240215	INLETS, TYPE B, TYPE 1 FRAME, CLOSED LID	EACH	2		
6024XXXX	INLET, TYPE G-1	EACH	1		
60500060	REMOVING INLETS	EACH	3		
60604400	COMBINATION CONCRETE CURB AND GUTTER, TYPE B-6.18	FOOT	330		
78000100	THERMOPLASTIC PAVEMENT MARKING - LETTERS AND SYMBOLS	SQ FT	125		
78000400	THERMOPLASTIC PAVEMENT MARKING - LINE 6"	FOOT	1,950		

78000500	THERMOPLASTIC PAVEMENT MARKING - LINE 8"	FOOT	250		
78000600	THERMOPLASTIC PAVEMENT MARKING - LINE 12"	FOOT	90		
78000650	THERMOPLASTIC PAVEMENT MARKING - LINE 24"	FOOT	85		
X0301007	INLET-MANHOLE, TYPE G-1, 4'-DIAMETER,SPECIAL	EACH	1		
X7010216	TRAFFIC CONTROL AND PROTECTION, (SPECIAL)	L SUM	1		
Z0013798	CONSTRUCTION LAYOUT	L SUM	1		
Z0056608	STORM SEWER (WATER MAIN REQUIREMENTS) 12 INCH	FOOT	8		
Z0056610	STORM SEWER (WATER MAIN REQUIREMENTS) 15 INCH	FOOT	81		

**BIDDER'S PROPOSAL FOR MAKING ENTIRE IMPROVEMENTS:**